

Stabilit Composite Glass-Fiber Reinforced Polyester Panels Preparation Date: 17/10/2014 Revision Date: 15/03/2017

Page: 1 of 8

Section 1: Identification

Product identifier

Product Name

· Stabilit Composite Glass-Fiber Reinforced Polyester Panels

Synonyms

• Glasliner (Wall, Ceiling Tile, Foundation Liner), Poliacryl, Polylit, CR Fire-Snuf, Tred-Safe, CR Acryloy, Opalit, Steeliner, Versalit, Pultrux.

Relevant identified uses of the substance or mixture and uses advised against

Recommended use

• High Impact Liner for Refrigerated Trailers, Truck Bodies, Containers and Railcars. Liners and Roofs for Refrigerated and Dry Trailers, Truck bodies, Containers and Railcars. Interior Wall and Ceiling panels where sanitary, durable, easy to clean finishes are required. Exterior Corrugated Daylighting and Opaque Panels for residential, commercial and industrial use. Gel-Coated and Non Gel Coated Exterior panels for use as sidewalls and roof panels on recreational vehicles. Structural fiberglass profiles to substitute traditional building materials, such as steel, aluminum and wood.

Details of the supplier of the safety data sheet

Manufacturer

Stabilit México

Humberto Lobo 9317 Complejo Industrial Mitras

C.P. 66023

Emergency telephone number 800 227 9548

Section 2: Hazard Identification

United States (US)

According to OSHA 29 CFR 1910.1200 HCS

Classification of the substance or mixture

OSHA HCS 2012

Not classified

Label elements

OSHA HCS 2012

Hazard statements

· No label element(s) required

Other hazards

OSHA HCS 2012

• Under United States Regulations (29 CFR 1910.1200(c) - Hazard Communication Standard), the product(s) listed above are exempt as article(s) under stated

normal conditions of use.

Classification of the substance or mixture

WHMIS

Not classified

Label elements

WHMIS

No label element(s) required

Other hazards

WHMIS

• Under Canadian Regulations (Workplace Hazardous Materials Information System (WHMIS) - Hazardous Products Act (HPA), Section 11(1)), these product(s) are exempt and considered manufactured article(s) under stated normal conditions of use.

Format: GHS Language: English (US) WHMIS, OSHA HCS 2012

Canada According to WHMIS



Stabilit Composite Glass-Fiber Reinforced Polyester Panels Preparation Date: 17/10/2014 Revision Date: 15/03/2017

Page: 2 of 8

Other information

• As an article this material does not legally require an SDS.

Section 3: Composition/Information on Ingredients

Substantces

Material does not meet the criteria of a substance.

Mixtures

 Under United States Regulations (29 CFR 1910.1200 - Hazard Communication Standard) the products listed above are exempt as articles under stated normal conditions of use. In Canada, these products are considered manufactured articles under the Workplace Hazardous Materials Information System (WHMIS) and are exempt.

Section 4: First-Aid Measures

Description of first aid measures

Inhalation

• First aid is not expected to be necessary if material is used under ordinary conditions and as recommended. If signs/symptoms develop, move person to fresh air. Administer oxygen if breathing is difficult. Give artificial respiration if victim is not breathing. If signs/symptoms continue, get medical attention.

Skin

• First aid is not expected to be necessary if material is used under ordinary conditions and as recommended. Wash skin with soap and water. If signs/symptoms develop, get medical attention.

Eye

• First aid is not expected to be necessary if material is used under ordinary conditions and as recommended. If contact with material occurs flush eyes with water. If signs/symptoms develop, get medical attention.

Indigestion

• First aid is not expected to be necessary if material is used under ordinary conditions and as recommended. If signs/symptoms develop, get medical attention.

Most important symptoms and effects, both acute and delayed

• Under normal conditions of use, no health effects are expected.

Indication of any immediate medical attention and special treatment needed

Notes to Physician

• No specific actions or treatments recommended related to exposure to this material.

Section 5: Fire-Fighting Measures

Extinguishing media

Suitable Extinguishing Media • In case of fire use media as appropriate for surrounding fire.

Unsuitable Extinguishing

No data available.

Media

Special hazards arising from the substance or misture

Unusual Fire and Explosion Hazards

• Like other organic building materials (e.g. wood), panels made of fiberglass reinforced plastic resins will burn. When ignited may produce dense smoke very rapidly.

Hazardous Combustion

· All smoke is toxic.

Products

Canada
According to WHMIS
Format: GHS Language: English (US)
WHMIS, OSHA HCS 2012



Stabilit Composite Glass-Fiber Reinforced Polyester Panels Preparation Date: 17/10/2014 Revision Date: 15/03/2017

Page: 3 of 8

Advice for firefighters

• Wear positive pressure self-contained breathing apparatus (SCBA). Structural firefighters' protective clothing will only provide limited protection.

Section 6: Accidental Release Measures

Personal precautions, protective equipment and emergency procedures

Personal Precautions

• No special precautions expected to be necessary if material is used under ordinary conditions and as recommended.

Emergency Procedures

• No emergency procedures are expected to be necessary if material is used under ordinary conditions as recommended. Use normal clean up procedures.

Environmental precautions

• Avoid release to the environment.

Methods and material for containment and cleaning up

Containment/Clean-up Measures • Carefully shovel or sweep up spilled material and place in suitable container.

Section 7: Handling and Storage

Precautions for safe handling

Handling

• Use good safety and industrial hygiene practices.

Conditions for safe storage, including any incompatibilities

Storage

• Protect from moisture. Store in a cool, dry, well-ventilated place.

Section 8: Exposure Controls/Personal Protection

Control parameters

Exposure Limits/Guidelines

• No applicable exposure limits available for product or components.

Exposure Limits/Guidelines								
	Result	ACGIH	OSHA					
Stabilit Composite Glass-Fiber Reinforced Polyester Panels	TWAs	10 mg/m3 TWA (inhalable particles, recom- mended); 3 mg/m3 TWA (respirable particles, recommended)	15 mg/m3 TWA (total dust); 5 mg/m3 TWA (respirable fraction) as Particulates not otherwise classified					
		as Particulates not otherwise classified (PNOC)	(PNOC)					

Exposure controls

Engineering Measures/Controls • Good general ventilation should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level.

Canada According to WHMIS



Stabilit Composite Glass-Fiber Reinforced Polyester Panels Preparation Date: 17/10/2014 Revision Date: 15/03/2017

Page: 4 of 8

Personal Protective Equipment

Respiratory • In case of insufficient ventilation, wear suitable respiratory equipment.

Eye/Face • Wear safety glasses.

Skin/Body • Wear appropriate gloves.

Environmental Exposure Controls

• Controls should be engineered to prevent release to the environment, including procedures to prevent spills, atmospheric release and release to waterways. Follow best practice for site management and disposal of waste.

Section 9: Physical and Chemical Properties

Information on Physical and Chemical Properties

Material Description					
Physical Form	Solid	Appearance/Description	Rigid panels produced in a variety of colors with no color		
Color	Various	Odor	Odorless		
Odor Threshold	No data available				
General Properties					
Boiling Point	No data available	Melting Point/Freezing Point	No data available		
Decomposition Temperature	No data available	рН	Not relevant		
Specific Gravity/Relative Density	No data available	Water Solubility	No data available		
Viscosity	No data available				
Volatility					
Vapor Pressure	No data available	Vapor Density	No data available		
Evaporation Rate	No data available				
Flammability					
Flash Point	Not relevant	UEL	Not relevant		
LEL	Not relevant	Autoignition	No data available		
Flammability (solid, gas)	No data available				
Environmental					
Octanol/Water Partition coefficient	No data available				

Section 10: Stability and Reactivity

Reactivity • No dangerous reaction known under conditions of normal use.

Chemical stability • Stable under normal temperatures and pressures.

Possibility of hazardous reactions • Hazardous polymerization will not occur.

Conditions to avoidNo data availableNo data available

Hazardous decomposition products · No data available

Canada According to WHMIS



Stabilit Composite Glass-Fiber Reinforced Polyester Panels Preparation Date: 17/10/2014 Revision Date: 15/03/2017

Page: 5 of 8

Section 11: Toxicological Information

Information of toxicological effects

GHS Properties	Classification
Acute toxicity	OSHA HCS 2012 • Data lacking
Skin corrosion/Irritation	OSHA HCS 2012 • Data lacking
Serious eye damage/Irritation	OSHA HCS 2012 • Data lacking
Skin sensitization	OSHA HCS 2012 • Data lacking
Respiratory sensitization	OSHA HCS 2012 • Data lacking
Aspiration Hazard	OSHA HCS 2012 • Data lacking
Carcinogenicity	OSHA HCS 2012 • Data lacking
Germ Cell Mutagenicity	OSHA HCS 2012 • Data lacking
Toxicity for Reproduction	OSHA HCS 2012 • Data lacking
STOT-RE	OSHA HCS 2012 • Data lacking
STOT-SE	OSHA HCS 2012 • Data lacking

Potential Health Effects

Inhalation

Acute (Immediate)	 Under normal conditions of use, no health effects are expected.
Chronic (Delayed)	 Under normal conditions of use, no health effects are expected.
Skin	
Acute (Immediate)	 Under normal conditions of use, no health effects are expected

Chronic (Delayed) • Under normal conditions of use, no health effects are expected.

Eye
Acute (Immediate)

• Under normal conditions of use, no health effects are expected.
• Under normal conditions of use, no health effects are expected.

Ingestion

Acute (Immediate)

• Under normal conditions of use, no health effects are expected.

• Under normal conditions of use, no health effects are expected.

Section 12: Ecological Information

Toxicity• Non-mandatory section - information about this substance not complied for this reason.

Persistence and degradability

• Non-mandatory section - information about this substance not complied for this reason.

Format: GHS Language: English (US)

WHMIS, OSHA HCS 2012



Stabilit Composite Glass-Fiber Reinforced Polyester Panels Preparation Date: 17/10/2014 Revision Date: 15/03/2017

Page: 6 of 8

Bioaccumulative potential

• Non-mandatory section - information about this substance not complied for

this reason.

Mobility in Soil • Non-mandatory section - information about this substance not complied for

this reason.

Other adverse effects · Non-mandatory section - information about this substance not complied for

this reason.

Section 13: Disposal Considerations

Waste treatment methods

Product waste • Dispose of content and/or container in accordance with local, regional, national,

and/or international regulations.

Packaging waste • Dispose of content and/or container in accordance with local, regional, national,

and/or international regulations.

Section 14: Transport Information

	UN number	UN proper shipping name	Transport hazard class (es)	Packing group	Environmental hazards
DOT	NDA	Not Regulated	NDA	NDA	NDA
TDG	NDA	Not Regulated	NDA	NDA	NDA
IMO/IMDG	NDA	Not Regulated	NDA	NDA	NDA
IATA/ICAO	NDA	Not Regulated	NDA	NDA	NDA

Special precautions for user · None specified

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code · No data available

Section 15: Regulatory Information

Safety, health and environmental regulations/legislation specific for the substance or mixture SARA Hazard Classifications · None

Canada

Labor

Canada - WHMIS - Classifications of Substances

Not Listed

Canada - WHMIS - Ingredient Disclosure List

Not Listed

Environment

Canada - CEPA - Priority Substances List

Not Listed

Canada According to WHMIS



Stabilit Composite Glass-Fiber Reinforced Polyester Panels Preparation Date: 17/10/2014 Revision Date: 15/03/2017

Page: 7 of 8

United States

Labor

U.S. - OSHA - Process Safety Management - Highly Hazardous Chemicals

Not Listed

U.S. - OSHA - Specifically Regulated Chemicals

Not Listed

Environment —

U.S. - CAA (Clean Air Act) - 1990 Hazardous Air Pollutants

Not Listed

U.S. - CERCLA/SARA - Hazardous Substances and their Reportable Quantities

Not Listed

U.S. - CERCLA/SARA - Radionuclides and Their Reportable Quantities

Not Listed

U.S. - CERCLA/SARA - Section 302 Extremely Hazardous Substances EPCRA RQs

Not Listed

U.S. - CERCLA/SARA - Section 302 Extremely Hazardous Substances TPQs

Not Listed

U.S. - CERCLA/SARA - Section 313 - Emission Reporting

Not Listed

U.S. - CERCLA/SARA - Section 313 - PBT Chemical Listing

Not Listed

United States - California

Environment

U.S. - California - Proposition 65 - Carcinogens List

Not Listed

U.S. - California - Proposition 65 - Developmental Toxicity

Not Listed

U.S. - California - Proposition 65 - Maximum Allowable Dose Levels (MADL)

Not Listed

U.S. - California - Proposition 65 - No Significant Risk Levels (NSRL)

Not Listed

U.S. - California - Proposition 65 - Reproductive Toxicity - Female

Not Listed

U.S. - California - Proposition 65 - Reproductive Toxicity - Male

Not Listed



Stabilit Composite Glass-Fiber Reinforced Polyester Panels Preparation Date: 17/10/2014 Revision Date: 15/03/2017

Format: GHS Language: English (US)

WHMIS, OSHA HCS 2012

Page: 8 of 8

Other Information

California - Proposition 65 Warning

This product contains a chemical known to the State of California to cause cancer.

Section 16: Other Information

Revision Date

- 15/March/2017

Last Revision Date

- 15/March/2017

- 15/March/2017

- 17/October/2014

Disclaimer/Statement of Liability

• Every endeavor has been made to ensure that the information contained in this publication is reliable and offered in good faith. It is meant to describe the safety requirements of our products and should not be construed as guaranteeing specific properties. Customers are encouraged to conduct their own tests as end user suitability of the product for particular uses is beyond our control. The information is not intended as an inducement to bargain and no warranty expressed or implied is made as to its accuracy, reliability or completeness. Stabilit America, Inc. accepts no liability for loss, injury or damage arising from reliance upon the information contained in this data sheet except in conjunction with the proper use of the product to which it refers. Due care should be taken that the use and disposal of this product is in compliance with appropriate Federal, State and Local Government regulations.

Key to abbreviations NDA - No Data Available